Amendments to the Claims:

The following listing of claims will replace all prior versions, and listings, of claims in the application:

1. (Currently Amended) A polylactic acid resin composition, comprising:

poly-L-lactic acid having an optical purity of at least 85 mol%;

poly-D-lactic acid having an optical purity of at least 85 mol%; and

a polylactic acid-lamellar clay mineral bonded body consisting of a lamellar clay mineral and one of said poly-L-lactic acid and said poly-D-lactic acid bonded to the lamellar clay mineral;

wherein:

the one of said poly L lactic acid and poly D lactic acid is bonded to the lamellar clay mineral to the exclusion of the other of said poly-L-lactic acid and said poly-D lactic acid; and acid is not bonded to the lamellar clay material;

the ratio of said poly-L-lactic acid to said poly-D-lactic acid in the polylactic acid composition is from 1:99 wt% to 99:1-wt%. wt%; and

the stereocrystals ratio is greater than 70%.

- 2. (Previously Presented) The polylactic acid resin composition according to claim 1, wherein the lamellar clay mineral is organized with an organic onium salt having a hydroxyl group, and the one of said poly-L-lactic acid and said poly-D-lactic acid bonded to the lamellar clay mineral is bonded to the lamellar clay mineral through the hydroxyl group of the organic onium salt.
- 3. (Previously Presented) The polylactic acid resin composition according to claim 1, wherein the polylactic acid-lamellar clay mineral bonded body is a poly-L-lactic acid-lamellar clay mineral bonded body or a poly-D-lactic acid-lamellar clay mineral bonded body, obtained by mixing a lamellar clay mineral organized with an organic onium salt

having a hydroxyl group with polymerizable monomers of L-lactic acid and/or L-lactide or polymerizable monomers of D-lactic acid and/or D-lactide, and polymerizing the polymerizable monomers with the hydroxyl group of the organic onium salt as a reaction site.

4. (Withdrawn-Currently Amended) A process for producing a polylactic acid resin composition, the method comprising:

mixing a lamellar clay mineral organized with an organic onium salt having a hydroxyl group with polymerizable monomers of L-lactic acid and/or L-lactide having an optical purity of at least 85 mol%,

polymerizing the polymerizable monomers with the hydroxyl group of the organic onium salt as a reaction site to obtain a poly-L-lactic acid-lamellar clay mineral bonded body, and

mixing the poly-L-lactic acid-lamellar clay mineral bonded body with poly-D-lactic acid having an optical purity of at least 85 mol%, wherein said poly-D-lactic acid is not bonded to the lamellar clay mineral;

wherein the ratio of said poly-L-lactic acid to said poly-D-lactic acid in the polylactic acid resin composition is from 1:99 wt% to 99:1-wt%. wt%; and the stereocrystals ratio is greater than 70%.

5. (Withdrawn-Currently Amended) A process for producing a polylactic acid resin composition, the method comprising:

mixing a lamellar clay mineral organized with an organic onium salt having a hydroxyl group with polymerizable monomers of D-lactic acid and/or D-lactide having an optical purity of at least 85 mol%,

polymerizing the polymerizable monomers with the hydroxyl group of the organic onium salt as a reaction site to obtain a poly-D-lactic acid-lamellar clay mineral bonded body, and

mixing the poly-D-lactic acid-lamellar clay mineral bonded body with poly-L-lactic acid having an optical purity of at least 85 mol%, wherein said poly-L-lactic acid is not bonded to the lamellar clay mineral;

wherein the ratio of said poly-L-lactic acid to said poly-D-lactic acid in the polylactic acid resin composition is from 1:99 wt% to 99:1-wt%. wt%; and

the stereocrystals ratio is greater than 70%.

- 6. (Withdrawn) A molded article comprising a polylactic acid resin composition according to claim 1 that has been melt molded and recrystallized.
- 7. (Withdrawn) A molded article comprising a polylactic acid resin composition according to claim 2 that has been melt molded and recrystallized.
- 8. (Withdrawn) A molded article comprising a polylactic acid resin composition according to claim 3 that has been melt molded and recrystallized.
 - 9. (Canceled)
- 10. (Previously Presented) The polylactic acid resin composition according to claim 2, wherein the polylactic acid-lamellar clay mineral bonded body is a poly-L-lactic acid-lamellar clay mineral bonded body or a poly-D-lactic acid-lamellar clay mineral bonded body, obtained by mixing a lamellar clay mineral organized with an organic onium salt having a hydroxyl group with polymerizable monomers of L-lactic acid and/or L-lactide or polymerizable monomers of D-lactic acid and/or D-lactide, and polymerizing the polymerizable monomers with the hydroxyl group of the organic onium salt as a reaction site.
- 11. (Withdrawn) The molded article according to claim 7, wherein the polylactic acid-lamellar clay mineral bonded body is a poly-L-lactic acid-lamellar clay mineral bonded body or a poly-D-lactic acid-lamellar clay mineral bonded body, obtained by mixing a lamellar clay mineral organized with an organic onium salt having a hydroxyl group with polymerizing monomers of L-lactic acid and/or L-lactide or polymerizable monomers of D-

lactic acid and/or D-lactide, and polymerizing the polymerizable monomers with the hydroxyl group of the organic onium salt as a reaction site.

12-13. (Canceled)

14. (New) The polylactic acid resin composition according to claim 1, wherein the stereocrystals ratio is 100%.